



DESIGN DEPOT



KOHLER®



Taut™ Single-handle bathroom sink faucet

- 3-15/16" (100 mm) spout reach.
- 1.2 gpm (4.5 l/min) maximum flow rate.
- Single lever handle allows for simultaneous on/off activation and temperature setting.
- High-temperature limit setting for added safety.
- KOHLER ceramic disc valves exceed industry longevity standards for a lifetime of durable performance.

SN 7700-99-15000
MN K-74013-4-CP
COLOR: Polished Chrome



Purist® Single-handle bathroom sink faucet with straight lever handle

- Single lever handle allows for both volume and temperature control.
- 5-1/2" (140 mm) spout reach.
- 1.2 gpm (4.5 lpm) maximum flow rate at 60 psi (4.14 bar).
- Includes metal pop-up drain with 1-1/4" tailpiece.
- KOHLER ceramic disc valves exceed industry longevity standards for a lifetime of durable performance.
- Temperature memory allows faucet to be turned on and off at the temperature set during prior usage.
- Coordinates with Purist faucets, accessories, and showering components to complete your bathroom.
- Low-flow aerator option available.

SN 7700-99-15010
MN K-14402-4A-BN
COLOR: Vibrant Brushed Nickel



Taut™ Single-handle bathroom sink faucet

- 3-15/16" (100 mm) spout reach.
- 1.2 gpm (4.5 l/min) maximum flow rate.
- Single lever handle allows for simultaneous on/off activation and temperature setting.
- High-temperature limit setting for added safety.
- KOHLER ceramic disc valves exceed industry longevity standards for a lifetime of durable performance.

SN 7700-99-15004
MN K-74013-4-BL
COLOR: Matte Black



Purist® Single-handle bathroom sink faucet with straight lever handle

- Single lever handle allows for both volume and temperature control.
- 5-1/2" (140 mm) spout reach.
- 1.2 gpm (4.5 lpm) maximum flow rate at 60 psi (4.14 bar).
- Includes metal pop-up drain with 1-1/4" tailpiece.
- KOHLER ceramic disc valves exceed industry longevity standards for a lifetime of durable performance.
- Temperature memory allows faucet to be turned on and off at the temperature set during prior usage.
- Coordinates with Purist faucets, accessories, and showering components to complete your bathroom.
- Low-flow aerator option available.

SN 7700-99-15012
MN K-14402-4A-RGD
COLOR: Vibrant Rose Gold



Purist® Single-handle bathroom sink faucet with straight lever handle

- Single lever handle allows for both volume and temperature control.
- 5-1/2" (140 mm) spout reach.
- 1.2 gpm (4.5 lpm) maximum flow rate at 60 psi (4.14 bar).
- Includes metal pop-up drain with 1-1/4" tailpiece.
- KOHLER ceramic disc valves exceed industry longevity standards for a lifetime of durable performance.
- Temperature memory allows faucet to be turned on and off at the temperature set during prior usage.
- Coordinates with Purist faucets, accessories, and showering components to complete your bathroom.
- Low-flow aerator option available.

SN 7700-99-15006
MN K-14402-4A-CP
COLOR: Polished Chrome



Purist® Single-handle bathroom sink faucet with straight lever handle

- Single lever handle allows for both volume and temperature control.
- 5-1/2" (140 mm) spout reach.
- 1.2 gpm (4.5 lpm) maximum flow rate at 60 psi (4.14 bar).
- Includes metal pop-up drain with 1-1/4" tailpiece.
- KOHLER ceramic disc valves exceed industry longevity standards for a lifetime of durable performance.
- Temperature memory allows faucet to be turned on and off at the temperature set during prior usage.
- Coordinates with Purist faucets, accessories, and showering components to complete your bathroom.
- Low-flow aerator option available.

SN 7700-99-15008
MN K-14402-4A-BV
COLOR: Vibrant Brushed Bronze





Parallel™ Tall single-handle bathroom sink faucet

- Single handle controls both on/off activation and temperature settings.
- 8" (203 mm) spout height.
- 5-3/8" (137 mm) spout reach.
- 1.2 gpm (4.5 lpm) maximum flow rate at 60 psi (4.14 bar).
- KOHLER ceramic disc valves exceed industry longevity standards for a lifetime of durable performance.
- Metal touch-activated drain with 1-1/4" tailpiece.
- Ideal for vessel sink applications.
- Coordinates with other products in the Parallel

SN 7700-99-15500
MN K-23475-4-CP
COLOR: Polished Chrome



Composed® single-handle bathroom sink faucet with pure handle

- Single cylindrical handle allows for both volume and temperature control.
- KOHLER ceramic disc valves exceed industry longevity standards for a lifetime of durable performance.
- Temperature memory allows faucet to be turned on and off at the temperature set during prior usage.
- 1.2 gpm (4.5 lpm) maximum flow rate at 60 psi (4.14 bar).
- Includes pop-up drain with 1-1/4" tailpiece.
- 6" (152 mm) spout reach.
- Coordinates with Composed faucets, accessories, and showering components to complete your bathroom.

SN 7700-99-15016
MN K-73050-7-TT
COLOR: Vibrant Titanium



Parallel™ Tall single-handle bathroom sink faucet

- Single handle controls both on/off activation and temperature settings.
- 8" (203 mm) spout height.
- 5-3/8" (137 mm) spout reach.
- 1.2 gpm (4.5 lpm) maximum flow rate at 60 psi (4.14 bar).
- KOHLER ceramic disc valves exceed industry longevity standards for a lifetime of durable performance.
- Metal touch-activated drain with 1-1/4" tailpiece.
- Ideal for vessel sink applications.
- Coordinates with other products in the Parallel collection.

SN 7700-99-15504
MN K-23475-4-BL
COLOR: Matte Black



Composed® single-handle bathroom sink faucet with pure handle

- Single cylindrical handle allows for both volume and temperature control.
- KOHLER ceramic disc valves exceed industry longevity standards for a lifetime of durable performance.
- Temperature memory allows faucet to be turned on and off at the temperature set during prior usage.
- 1.2 gpm (4.5 lpm) maximum flow rate at 60 psi (4.14 bar).
- Includes pop-up drain with 1-1/4" tailpiece.
- 6" (152 mm) spout reach.
- Coordinates with Composed faucets, accessories, and showering components to complete your bathroom.

SN 7700-99-15014
MN K-73050-7-BL
COLOR: Matte Black



Parallel™ Tall single-handle bathroom sink faucet

- Single handle controls both on/off activation and temperature settings.
- 8" (203 mm) spout height.
- 5-3/8" (137 mm) spout reach.
- 1.2 gpm (4.5 lpm) maximum flow rate at 60 psi (4.14 bar).
- KOHLER ceramic disc valves exceed industry longevity standards for a lifetime of durable performance.
- Metal touch-activated drain with 1-1/4" tailpiece.
- Ideal for vessel sink applications.
- Coordinates with other products in the Parallel collection.

SN 7700-99-15502
MN K-23475-4-BN
COLOR: Vibrant Brushed Nickel



Taut™ Single-handle bathroom sink faucet

- 3-15/16" (100 mm) spout reach.
- 1.2 gpm (4.5 lpm) maximum flow rate.
- Single lever handle allows for simultaneous on/off activation and temperature setting.
- High-temperature limit setting for added safety.
- KOHLER ceramic disc valves exceed industry longevity standards for a lifetime of durable performance.
- Includes Pop-up

SN 7700-99-15002
MN K-74013-4-BN
COLOR: Vibrant Brushed Nickel





Taut™ single-hole commercial faucet with grid drain

- 3-15/16" (100 mm) spout reach.
- 0.5 gpm (1.9 lpm) maximum flow rate.
- Water-saving vandal-resistant aerator.
- Single lever handle allows for simultaneous on/off activation and temperature setting.
- High-temperature limit setting for added safety.
- KOHLER ceramic disc valves exceed industry longevity standards for a lifetime of durable performance.
- Grid drain.
- Less lift rod, lift rod hole.

SN 7700-99-15018
 MN K-46029-4-CP
 COLOR: Polished Chrome



Parallel™ Widespread bathroom sink faucet with lever handles

- Two Lever handles offer separate control of hot and cold water.
- 5" (127 mm) spout reach.
- 1.2 gpm (4.5 lpm) maximum flow rate at 60 psi (4.14 bar).
- KOHLER ceramic disc valves exceed industry longevity standards for a lifetime of durable performance.
- Metal touch-activated drain with 1-1/4" tailpiece.
- Coordinates with other products in the Parallel collection.

SN 7700-60-20520
 MN K-23484-4-CP
 COLOR: Polished Chrome



Alteo® Widespread bathroom sink faucet

- Two lever handles allow for both volume and temperature control.
- Includes metal pop-up drain with 1-1/4" tailpiece.
- 1.2 gpm (4.5 lpm) maximum flow rate at 60 psi (4.14 bar).
- 4-1/2" (114 mm) spout reach.
- KOHLER ceramic disc valves exceed industry longevity standards for a lifetime of durable performance.
- Coordinates with Alteo faucets, accessories, and showering components to complete your bathroom.

SN 7700-60-20500
 MN K-45102-4-CP
 COLOR: Polished Chrome



Parallel™ Widespread bathroom sink faucet with lever handles

- Two Lever handles offer separate control of hot and cold water.
- 5" (127 mm) spout reach.
- 1.2 gpm (4.5 lpm) maximum flow rate at 60 psi (4.14 bar).
- KOHLER ceramic disc valves exceed industry longevity standards for a lifetime of durable performance.
- Metal touch-activated drain with 1-1/4" tailpiece.
- Coordinates with other products in the Parallel collection.

SN 7700-60-20522
 MN K-23484-4-BN
 COLOR: Vibrant Brushed Nickel



Alteo® Widespread bathroom sink faucet

- Two lever handles allow for both volume and temperature control.
- Includes metal pop-up drain with 1-1/4" tailpiece.
- 1.2 gpm (4.5 lpm) maximum flow rate at 60 psi (4.14 bar).
- 4-1/2" (114 mm) spout reach.
- KOHLER ceramic disc valves exceed industry longevity standards for a lifetime of durable performance.
- Coordinates with Alteo faucets, accessories, and showering components to complete your bathroom.

SN 7700-60-20502
 MN K-45102-4-BN
 COLOR: Vibrant Brushed Nickel



Parallel™ Widespread bathroom sink faucet with lever handles

- Two Lever handles offer separate control of hot and cold water.
- 5" (127 mm) spout reach.
- 1.2 gpm (4.5 lpm) maximum flow rate at 60 psi (4.14 bar).
- KOHLER ceramic disc valves exceed industry longevity standards for a lifetime of durable performance.
- Metal touch-activated drain with 1-1/4" tailpiece.
- Coordinates with other products in the Parallel collection.

SN 7700-60-20524
 MN K-23484-4-BL
 COLOR: Matte Black





Alteo® Widespread bathroom sink faucet

- Two lever handles allow for both volume and temperature control.
- Includes metal pop-up drain with 1-1/4" tailpiece.
- 1.2 gpm (4.5 lpm) maximum flow rate at 60 psi (4.14 bar).
- 4-1/2" (114 mm) spout reach.
- KOHLER ceramic disc valves exceed industry longevity standards for a lifetime of durable performance.
- Coordinates with Alteo faucets, accessories, and showering components to complete your bathroom.

SN 7700-60-20504
MN K-45102-4-2BZ
COLOR: Oil-Rubbed Bronze



Parallel™ Two-handle deck-mount bath faucet

- Two Lever handles offer separate control of hot and cold water.
- 5" (127 mm) spout reach.
- 1.2 gpm (4.5 lpm) maximum flow rate at 60 psi (4.14 bar).
- KOHLER ceramic disc valves exceed industry longevity standards for a lifetime of durable performance.
- Metal touch-activated drain with 1-1/4" tailpiece.
- Coordinates with other products in the Parallel collection.

SN 7720-60-20178
MN K-27121-4-CP
COLOR: Polished Chrome





Taut™ Widespread faucet

- 4-11/16" (101 mm) spout reach.
- 1.2 gpm (4.5 l/min) maximum flow rate.
- Two lever handles allow for both volume and temperature control.
- UltraGlide® valves with dry-stem technology are designed to eliminate common leak paths and provide smooth, effortless control.
- Coordinates with Pitch® bath and shower trim.
- Metal Pop up

SN 7700-60-20506
MN K-97100-4-CP
COLOR: Polished Chrome



Taut™ Widespread faucet

- 4-11/16" (101 mm) spout reach.
- 1.2 gpm (4.5 l/min) maximum flow rate.
- Two lever handles allow for both volume and temperature control.
- UltraGlide® valves with dry-stem technology are designed to eliminate common leak paths and provide smooth, effortless control.
- Coordinates with Pitch® bath and shower trim.
- Metal Pop up

SN 7700-60-20508
MN K-97100-4-BN
COLOR: Vibrant Brushed Nickel



Taut™ Widespread faucet

- 4-11/16" (101 mm) spout reach.
- 1.2 gpm (4.5 l/min) maximum flow rate.
- Two lever handles allow for both volume and temperature control.
- UltraGlide® valves with dry-stem technology are designed to eliminate common leak paths and provide smooth, effortless control.
- Coordinates with Pitch® bath and shower trim.
- Metal Pop up

SN 7700-60-20510
MN K-97100-4-BL
COLOR: Matte Black



Purist® Widespread bathroom sink faucet with low lever handles and low gooseneck spout

- Two lever handles allow for both volume and temperature control.
- 5-1/2" (140 mm) spout reach.
- 1.2 gpm (4.5 lpm) maximum flow rate at 60 psi (4.14 bar).
- Includes metal pop-up drain with 1-1/4" tailpiece.
- KOHLER ceramic disc valves exceed industry longevity standards for a lifetime of durable performance.
- Coordinates with Purist faucets, accessories, and showering components to complete your bathroom.

SN 7700-60-20512
MN K-14406-4-CP
COLOR: Polished Chrome



Purist® Widespread bathroom sink faucet with low lever handles and low gooseneck spout

- Two lever handles allow for both volume and temperature control.
- 5-1/2" (140 mm) spout reach.
- 1.2 gpm (4.5 lpm) maximum flow rate at 60 psi (4.14 bar).
- Includes metal pop-up drain with 1-1/4" tailpiece.
- KOHLER ceramic disc valves exceed industry longevity standards for a lifetime of durable performance.
- Coordinates with Purist faucets, accessories, and showering components to complete your bathroom.

SN 7700-60-20514
MN K-14406-4-BN
COLOR: Vibrant Brushed Nickel



Purist® Widespread bathroom sink faucet with low lever handles and low gooseneck spout

- Two lever handles allow for both volume and temperature control.
- 5-1/2" (140 mm) spout reach.
- 1.2 gpm (4.5 lpm) maximum flow rate at 60 psi (4.14 bar).
- Includes metal pop-up drain with 1-1/4" tailpiece.
- KOHLER ceramic disc valves exceed industry longevity standards for a lifetime of durable performance.
- Coordinates with Purist faucets, accessories, and showering components to complete your bathroom.

SN 7700-60-20516
MN K-14406-4-BV
COLOR: Vibrant Brushed Bronze



Purist® Widespread bathroom sink faucet with low lever handles and low gooseneck spout

- Two lever handles allow for both volume and temperature control.
- 5-1/2" (140 mm) spout reach.
- 1.2 gpm (4.5 lpm) maximum flow rate at 60 psi (4.14 bar).
- Includes metal pop-up drain with 1-1/4" tailpiece.
- KOHLER ceramic disc valves exceed industry longevity standards for a lifetime of durable performance.
- Coordinates with Purist faucets, accessories, and showering components to complete your bathroom.

SN 7700-60-20518
MN K-14406-4-RGD
COLOR: Vibrant® Rose Gold





Alteo® Centerset bathroom sink faucet

- 5" (127 mm) spout reach.
- 1.2 gpm (4.5 lpm) maximum flow rate at 60 psi (4.14 bar).
- KOHLER ceramic disc valves exceed industry longevity standards for a lifetime of durable performance.
- Two-handle centerset faucet for 4" (102 mm) centers.
- Includes metal pop-up drain with 1-1/4" tailpiece.
- Reversible quarter-turn washerless ceramic disc valves.
- Coordinates with Alteo faucets, accessories, and showering components to complete your bathroom.

SN 7700-66-20210
MN K-45100-4-2BZ
COLOR: Oil-Rubbed Bronze



Taut™ Centerset bathroom sink faucet

- Two-handle centerset faucet for 4" (102 mm) centers.
- 1.2 gpm (4.5 lmin) maximum flow rate.
- Reversible quarter-turn washerless ceramic disc valves.
- KOHLER ceramic disc valves exceed industry longevity standards for a lifetime of durable performance.
- Coordinates with Taut faucets and Pitch® showering components to complete your bathroom.
- Pop up with Tailpiece

SN 7700-66-20202
MN K-97031-4-CP
COLOR: Polished Chrome



Alteo® Centerset bathroom sink faucet

- 5" (127 mm) spout reach.
- 1.2 gpm (4.5 lpm) maximum flow rate at 60 psi (4.14 bar).
- KOHLER ceramic disc valves exceed industry longevity standards for a lifetime of durable performance.
- Two-handle centerset faucet for 4" (102 mm) centers.
- Includes metal pop-up drain with 1-1/4" tailpiece.
- Reversible quarter-turn washerless ceramic disc valves.
- Coordinates with Alteo faucets, accessories, and showering components to complete your bathroom.

SN 7700-66-20206
MN K-45100-4-CP
COLOR: Polished Chrome



Alteo® Centerset bathroom sink faucet

- 5" (127 mm) spout reach.
- 1.2 gpm (4.5 lpm) maximum flow rate at 60 psi (4.14 bar).
- KOHLER ceramic disc valves exceed industry longevity standards for a lifetime of durable performance.
- Two-handle centerset faucet for 4" (102 mm) centers.
- Includes metal pop-up drain with 1-1/4" tailpiece.
- Reversible quarter-turn washerless ceramic disc valves.
- Coordinates with Alteo faucets, accessories, and showering components to complete your bathroom.

SN 7700-66-20208
MN K-45100-4-BN
COLOR: Vibrant Brushed Nickel



Simplice® single-hole or three-hole kitchen sink faucet

with 16-5/8" pull-down spout, DockNetik® magnetic docking system, and a 3-function sprayhead featuring Sweep® spray

- Three-function pull-down sprayhead with touch-control allow you to switch between stream, Sweep® spray and Boost technology.
- Sweep® spray creates a wide, forceful blade of water for superior cleaning.
- Boost technology increases the flow rate by 30% with the press of a button.
- Single handle is simple to use and makes adjusting water temperature easy.
- Temperature memory allows faucet to be turned on and off at the temperature set during prior usage.
- 1.5 gpm (5.7 lpm) maximum flow rate at 60 psi (4.14 bar).

SN 7720-60-52100
MN K-596-CP
COLOR: Polished Chrome



Purist® single-hole kitchen sink faucet with 8" pull-out spout

- Three-function pull-out sprayhead with touch-control allows you to switch between spray, laminar flow, and pause.
- KOHLER ceramic disc valves exceed industry longevity standards for a lifetime of durable performance.
- ProMotion® technology's light, quiet braided hose and swiveling ball joint make the pull-down sprayhead easier and more comfortable to use.
- MasterClean™ sprayface features an easy-to-clean surface that withstands mineral buildup.
- High-arch gooseneck spout and 360° spout rotation offer superior clearance for filling pots and cleaning.
- Single lever handle is simple to use and makes adjusting water temperature easy.
- 1.5 gpm (5.7 lpm) maximum flow rate at 60 psi (4.14 bar).

SN 7720-60-52106
MN K-7505-CP
COLOR: Polished Chrome

Simplice® single-hole or three-hole kitchen sink faucet

with 16-5/8" pull-down spout, DockNetik® magnetic docking system, and a 3-function sprayhead featuring Sweep® spray

- Three-function pull-down sprayhead with touch-control allows you to switch between stream, Sweep® spray and Boost technology.
- Sweep® spray creates a wide, forceful blade of water for superior cleaning.
- Boost technology increases the flow rate by 30% with the press of a button.
- Single handle is simple to use and makes adjusting water temperature easy.
- Temperature memory allows faucet to be turned on and off at the temperature set during prior usage.
- 1.5 gpm (5.7 lpm) maximum flow rate at 60 psi (4.14 bar).

SN 7720-60-52102
MN K-596-VS
COLOR: Vibrant Stainless



Purist® single-hole kitchen sink faucet with 8" pull-out spout

- Three-function pull-out sprayhead with touch-control allows you to switch between spray, laminar flow, and pause.
- KOHLER ceramic disc valves exceed industry longevity standards for a lifetime of durable performance.
- ProMotion® technology's light, quiet braided hose and swiveling ball joint make the pull-down sprayhead easier and more comfortable to use.
- MasterClean™ sprayface features an easy-to-clean surface that withstands mineral buildup.
- High-arch gooseneck spout and 360° spout rotation offer superior clearance for filling pots and cleaning.
- 1.5 gpm (5.7 lpm) maximum flow rate at 60 psi (4.14 bar).

SN 7720-60-52108
MN K-7505-VS
COLOR: Vibrant Stainless

Simplice® single-hole or three-hole kitchen sink faucet

with 16-5/8" pull-down spout, DockNetik® magnetic docking system, and a 3-function sprayhead featuring Sweep® spray

- Three-function pull-down sprayhead with touch-control allows you to switch between stream, Sweep® spray and Boost technology.
- Sweep® spray creates a wide, forceful blade of water for superior cleaning.
- Boost technology increases the flow rate by 30% with the press of a button.
- Single handle is simple to use and makes adjusting water temperature easy.
- Temperature memory allows faucet to be turned on and off at the temperature set during prior usage.
- 1.5 gpm (5.7 lpm) maximum flow rate at 60 psi (4.14 bar).

SN 7720-60-52104
MN K-596-BL
COLOR: Matte Black



Purist® single-hole kitchen sink faucet with 8" pull-out spout

- Three-function pull-out sprayhead with touch-control allows you to switch between spray, laminar flow, and pause.
- KOHLER ceramic disc valves exceed industry longevity standards for a lifetime of durable performance.
- ProMotion® technology's light, quiet braided hose and swiveling ball joint make the pull-down sprayhead easier and more comfortable to use.
- MasterClean™ sprayface features an easy-to-clean surface that withstands mineral buildup.
- High-arch gooseneck spout and 360° spout rotation offer superior clearance for filling pots and cleaning.
- Single lever handle is simple to use and makes adjusting water temperature easy.

SN 7720-60-52110
MN K-7505-BL
COLOR: Matte Black





Crue™ Pull-down single-handle kitchen faucet

- Three-function pull-down sprayhead with touch control allows you to switch between aerated stream, ring spray and Boost technology.
- Boost technology increases the flow rate by 30% with the press of a button. Use Boost with stream for faster filling or with ring spray for more powerful cleaning. Single lever handle makes adjusting water temperature easy.
- 1.5 gpm (5.7 lpm) maximum flow rate at 60 psi (4.14 bar).

SN 7720-60-52114
MN K-22972-VS
COLOR: Vibrant Stainless



Graze® Pull-down kitchen sink faucet with three-function sprayhead

- Three-function pull-down sprayhead with touch-control allows you to switch between stream, Sweep® spray and BerrySoft® spray.
- Sweep® spray features specially angled nozzles that form a wide, powerful blade of water to sweep your dishes and sink clean.
- Unique three-function sprayhead allows you to tackle tasks such as cleaning, rinsing and filling with Sweep® Spray, BerrySoft® spray, and aerated stream. 10-3/4" (273 mm) swing spout reach.
- 1.5 gpm (5.7 lpm) maximum flow rate at 60 psi (4.14 bar).
- Single lever handle makes adjusting water temperature easy.
- Temperature memory allows faucet to be turned on and off at the temperature set during prior usage.

SN 7720-60-52118
MN K-22062-CP
COLOR: Polished Chrome



Crue™ Pull-down single-handle kitchen faucet

- Three-function pull-down sprayhead with touch control allows you to switch between aerated stream, ring spray and Boost technology.
- Boost technology increases the flow rate by 30% with the press of a button. Use Boost with stream for faster filling or with ring spray for more powerful cleaning. Single lever handle makes adjusting water temperature easy.
- 1.5 gpm (5.7 lpm) maximum flow rate at 60 psi (4.14 bar).

SN 7720-60-52116
MN K-22972-BL
COLOR: Matte Black



Graze® Pull-down kitchen sink faucet with three-function sprayhead

- Three-function pull-down sprayhead with touch-control allows you to switch between stream, Sweep® spray and BerrySoft® spray.
- Sweep® spray features specially angled nozzles that form a wide, powerful blade of water to sweep your dishes and sink clean.
- Unique three-function sprayhead allows you to tackle tasks such as cleaning, rinsing and filling with Sweep® Spray, BerrySoft® spray, and aerated stream. 10-3/4" (273 mm) swing spout reach.
- 1.5 gpm (5.7 lpm) maximum flow rate at 60 psi (4.14 bar).
- Single lever handle makes adjusting water temperature easy.
- Temperature memory allows faucet to be turned on and off at the temperature set during prior usage.

SN 7720-60-52120
MN K-22062-VS
COLOR: Vibrant Stainless



Crue™ Pull-down single-handle kitchen faucet

- Three-function pull-down sprayhead with touch control allows you to switch between aerated stream, ring spray and Boost technology.
- Boost technology increases the flow rate by 30% with the press of a button. Use Boost with stream for faster filling or with ring spray for more powerful cleaning. Single lever handle makes adjusting water temperature easy.
- 1.5 gpm (5.7 lpm) maximum flow rate at 60 psi (4.14 bar).

SN 7720-60-52112
MN K-22972-CP
COLOR: Polished Chrome



Bellera® single-hole or three-hole kitchen sink faucet

with pull-down 16-3/4" spout and right-hand lever handle, DockNetik® magnetic docking system, and a 3-function sprayhead featuring Sweep® spray

- Three-function pull-down sprayhead with touch-control allows you to switch between stream, Sweep® spray and Boost technology.
- Boost technology increases the flow rate by 30% with the press of a button.
- Sweep® spray creates a wide, forceful blade of water for superior cleaning.
- DockNetik® magnetic docking system securely locks the sprayhead into place when not in use.
- KOHLER ceramic disc valves exceed industry longevity standards for a lifetime of durable performance. Single handle is simple to use and makes adjusting water temperature easy.
- Temperature memory allows faucet to be turned on and off at the temperature set during prior usage.
- 1.5 gpm (5.7 lpm) maximum flow rate at 60 psi (4.14 bar).

SN 7720-60-52122
MN K-560-CP
COLOR: Polished Chrome





Bellera® single-hole or three-hole kitchen sink faucet

with pull-down 16-3/4" spout and right-hand lever handle, DockNetik® magnetic docking system, and a 3-function sprayhead featuring Sweep® spray

- Three-function pull-down sprayhead with touch-control allows you to switch between stream, Sweep® spray and Boost technology.
- Boost technology increases the flow rate by 30% with the press of a button.
- Sweep® spray creates a wide, forceful blade of water for superior cleaning.
- DockNetik® magnetic docking system securely locks the sprayhead into place when not in use.
- KOHLER ceramic disc valves exceed industry longevity standards for a lifetime of durable performance.
- ProMotion® technology's light, quiet braided hose and swiveling ball joint make the pull-down sprayhead easier and more comfortable to use

SN 7720-60-52124
 MN K-560-VS
 COLOR: Vibrant Stainless



Riff™ Touchless pull-down single-handle kitchen sink faucet

- Touchless on/off with a wave of your hand or an object such as a pan.
- Response® technology uses a state-of-the-art motion sensor for reliable touchless activation.
- LED light indicates Response® is ready to use.
- AC-powered operation—no batteries to replace.
- Three-function pull-down sprayhead with touch control allows you to switch between aerated stream, Sweep® spray, and Boost technology.
- Sweep® spray is a wide, powerful blade of water that sweeps your dishes and sink clean.
- High-arch spout offers vertical clearance for tall cookware and pitchers.
- Single lever handle makes adjusting water temperature easy with one hand.
- 1.5 gpm (5.7 lpm) maximum flow rate at 60 psi (4.14 bar).
- Temperature memory allows faucet to be turned on and off at the temperature set during prior usage.

SN 7720-60-52126
 MN K-23832-CP
 COLOR: Polished Chrome





Purist®Rite-Temp® bath and shower trim with lever handle and 2.5 gpm showerhead

- Lever handle.
- 35° spout.
- Includes showerhead with arm and flange, nondiverter spout with NPT connection, and faceplate with handle and pushbutton diverter.
- Pressure-balancing diaphragm technology maintains outlet temperature within $\pm 3^{\circ}\text{F}$ during water pressure fluctuations.
- High-temperature limit stop allows you to preset a comfortable maximum temperature to eliminate scalding.
- Coordinates with Purist faucets, accessories, and showering components to complete your bathroom.

SN 7710-60-20400
MN K-T14420-4-CP
COLOR: Polished Chrome



Purist®Rite-Temp® bath and shower trim with lever handle and 2.5 gpm showerhead

- Lever handle.
- 35° spout.
- Includes showerhead with arm and flange, nondiverter spout with NPT connection, and faceplate with handle and pushbutton diverter.
- Pressure-balancing diaphragm technology maintains outlet temperature within $\pm 3^{\circ}\text{F}$ during water pressure fluctuations.
- High-temperature limit stop allows you to preset a comfortable maximum temperature to eliminate scalding.
- Coordinates with Purist faucets, accessories, and showering components to complete your bathroom.

SN 7710-60-20406
MN K-T14420-4-RGD
COLOR: Vibrant Rose Gold



Purist®Rite-Temp® bath and shower trim with lever handle and 1.75 gpm showerhead

- Lever handle.
- 35° spout.
- Includes showerhead with arm and flange, nondiverter spout with NPT connection, and faceplate with handle and pushbutton diverter.
- Pressure-balancing diaphragm technology maintains outlet temperature within $\pm 3^{\circ}\text{F}$ during water pressure fluctuations.
- High-temperature limit stop allows you to preset a comfortable maximum temperature to eliminate scalding.
- Coordinates with Purist faucets, accessories, and showering components to complete your bathroom.

SN 7710-60-20402
MN K-T14420-4-BN
COLOR: Vibrant Brushed Nickel



Alteo®Rite-Temp® bath and shower trim with lever handle and 1.75 gpm showerhead

- Pressure-balancing diaphragm technology maintains outlet temperature within $\pm 3^{\circ}\text{F}$ during water pressure fluctuations.
- Provides anti-scald protection and temperature regulation.
- Single handle controls both on/off activation and temperature settings.
- Includes faceplate with ADA-compliant metal level handle.
- Includes diverter bath spout with combination 1/2" NPT or slip-fit connection.
- Single-function 1.75 gpm (6.6 lpm) shower head with Katalyst® air-induction technology.
- MasterClean™ sprayface features an easy-to-clean surface that withstands mineral buildup.
- Includes shower arm and flange.
- Coordinates with Alteo faucets, accessories, and showering components to complete your bathroom.

SN 7710-60-20414
MN K-TS45104-4G-CP
COLOR: Polished Chrome



Purist®Rite-Temp® bath and shower trim with lever handle and 2.5 gpm showerhead

- Lever handle.
- 35° spout.
- Includes showerhead with arm and flange, nondiverter spout with NPT connection, and faceplate with handle and pushbutton diverter.
- Pressure-balancing diaphragm technology maintains outlet temperature within $\pm 3^{\circ}\text{F}$ during water pressure fluctuations.
- High-temperature limit stop allows you to preset a comfortable maximum temperature to eliminate scalding.
- Coordinates with Purist faucets, accessories, and showering components to complete your bathroom.

SN 7710-60-20404
MN K-T14420-4-BV
COLOR: Vibrant Brushed Bronze



Alteo®Rite-Temp® bath and shower trim with lever handle and 1.75 gpm showerhead

- Pressure-balancing diaphragm technology maintains outlet temperature within $\pm 3^{\circ}\text{F}$ during water pressure fluctuations.
- Provides anti-scald protection and temperature regulation.
- Single handle controls both on/off activation and temperature settings.
- Includes faceplate with ADA-compliant metal level handle.
- Includes diverter bath spout with combination 1/2" NPT or slip-fit connection.
- Single-function 1.75 gpm (6.6 lpm) shower head with Katalyst® air-induction technology.
- MasterClean™ sprayface features an easy-to-clean surface that withstands mineral buildup.
- Includes shower arm and flange.
- Coordinates with Alteo faucets, accessories, and showering components to complete your bathroom.

SN 7710-60-20416
MN K-TS45104-4G-BN
COLOR: Vibrant Brushed Nickel





Alteo®Rite-Temp® bath and shower trim with lever handle and 1.75 gpm showerhead

- Pressure-balancing diaphragm technology maintains outlet temperature within +/-3°F during water pressure fluctuations.
- Provides anti-scald protection and temperature regulation.
- Single handle controls both on/off activation and temperature settings.
- Includes faceplate with ADA-compliant metal level handle.
- Includes diverter bath spout with combination 1/2" NPT or slip-fit connection.
- Single-function 1.75 gpm (6.6 lpm) shower head with Katalyst® air-induction technology.
- MasterClean™ sprayface features an easy-to-clean surface that withstands mineral buildup.
- Includes shower arm and flange.
- Coordinates with Alteo faucets, accessories, and showering components to complete your bathroom.

SN 7710-60-20418
 MN K-TS45104-4G-2BZ
 COLOR: Oil-Rubbed Bronze



Parallel™ Rite-Temp® bath and shower trim

- Pressure-balancing diaphragm technology maintains outlet temperature within +/-3°F during water pressure fluctuations.
- Provides anti-scald protection and temperature regulation.
- Single handle controls both on/off activation and temperature settings.
- 6-1/4" (159 mm) diverter bath spout with slip-fit connection.
- 2.5 gpm (9.5 lpm) showerhead with Katalyst® spray technology.
- MasterClean™ sprayface features an easy-to-clean surface that withstands mineral buildup.
- Coordinates with other products in the Parallel collection.

SN 7710-60-20408
 MN K-TS23502-4-CP
 COLOR: Polished Chrome



Parallel™ Rite-Temp® bath and shower trim

- Pressure-balancing diaphragm technology maintains outlet temperature within +/-3°F during water pressure fluctuations.
- Provides anti-scald protection and temperature regulation.
- Single handle controls both on/off activation and temperature settings.
- 6-1/4" (159 mm) diverter bath spout with slip-fit connection.
- 2.5 gpm (9.5 lpm) showerhead with Katalyst® spray technology.
- MasterClean™ sprayface features an easy-to-clean surface that withstands mineral buildup.
- Coordinates with other products in the Parallel collection.

SN 7710-60-20410
 MN K-TS23502-4-BN
 COLOR: Vibrant Brushed Nickel



Parallel™ Rite-Temp® bath and shower trim

- Pressure-balancing diaphragm technology maintains outlet temperature within +/-3°F during water pressure fluctuations.
- Provides anti-scald protection and temperature regulation.
- Single handle controls both on/off activation and temperature settings.
- 6-1/4" (159 mm) diverter bath spout with slip-fit connection.
- 2.5 gpm (9.5 lpm) showerhead with Katalyst® spray technology.
- MasterClean™ sprayface features an easy-to-clean surface that withstands mineral buildup.
- Coordinates with other products in the Parallel collection.

SN 7710-60-20412
 MN K-TS23502-4-BL
 COLOR: Matte Black





Parallel™ 2.5 gpm single-function showerhead with Katalyst® air-induction technology

- Single-function showerhead with 48 nozzle 5" (127 mm) diameter sprayface.
- Optimized sprayface for maximum performance.
- 2.5 gpm (9.5 lpm) maximum flow rate at 45 psi (3.1 bar).
- MasterClean™ sprayface features an easy-to-clean surface that withstands mineral buildup.
- Coordinates with other products in the Parallel collection.

SN 0830-99-3100
MN K-24805-CP
COLOR: Polished Chrome



Parallel™ 1.75 gpm single-function showerhead with Katalyst® air-induction technology

- Single-function showerhead with 48 nozzle 5" (127 mm) diameter sprayface.
- Optimized sprayface for maximum performance.
- 1.75 gpm (6.6 lpm) maximum flow rate at 45 psi (3.1 bar).
- MasterClean™ sprayface features an easy-to-clean surface that withstands mineral buildup.
- Coordinates with other products in the Parallel collection.

SN 0830-99-3106
MN K-24805-G-CP
COLOR: Polished Chrome



Parallel™ 2.5 gpm single-function showerhead with Katalyst® air-induction technology

- Single-function showerhead with 48 nozzle 5" (127 mm) diameter sprayface.
- Optimized sprayface for maximum performance.
- 2.5 gpm (9.5 lpm) maximum flow rate at 45 psi (3.1 bar).
- MasterClean™ sprayface features an easy-to-clean surface that withstands mineral buildup.
- Coordinates with other products in the Parallel collection.

SN 0830-99-3102
MN K-24805-BN
COLOR: Vibrant Brushed Nickel



Parallel™ 1.75 gpm single-function showerhead with Katalyst® air-induction technology

- Single-function showerhead with 48 nozzle 5" (127 mm) diameter sprayface.
- Optimized sprayface for maximum performance.
- 1.75 gpm (6.6 lpm) maximum flow rate at 45 psi (3.1 bar).
- MasterClean™ sprayface features an easy-to-clean surface that withstands mineral buildup.
- Coordinates with other products in the Parallel collection.

SN 0830-99-3108
MN K-24805-G-BN
COLOR: Vibrant Brushed Nickel



Parallel™ 2.5 gpm single-function showerhead with Katalyst® air-induction technology

- Single-function showerhead with 48 nozzle 5" (127 mm) diameter sprayface.
- Optimized sprayface for maximum performance.
- 2.5 gpm (9.5 lpm) maximum flow rate at 45 psi (3.1 bar).
- MasterClean™ sprayface features an easy-to-clean surface that withstands mineral buildup.
- Coordinates with other products in the Parallel collection.

SN 0830-99-3104
MN K-24805-BL
COLOR: Matte Black



Parallel™ 1.75 gpm single-function showerhead with Katalyst® air-induction technology

- Single-function showerhead with 48 nozzle 5" (127 mm) diameter sprayface.
- Optimized sprayface for maximum performance.
- 1.75 gpm (6.6 lpm) maximum flow rate at 45 psi (3.1 bar).
- MasterClean™ sprayface features an easy-to-clean surface that withstands mineral buildup.
- Coordinates with other products in the Parallel collection.

SN 0830-99-3110
MN K-24805-G-BL
COLOR: Matte Black





Rite-Temp® pressure-balancing valve body and cartridge kit

- Includes valve body, pressure balance cartridge, rough-in guide, and mudguard.
- 1/2" Universal NPT & direct sweat inlets & outlets.
 - 5.0 gpm (18.9 l/min) maximum flow rate at 45 psi.
 - Single lever design cycles from off through cold to hot.
 - Provides anti-scald protection and temperature regulation.
 - One-piece cartridge design simplifies installation and maintenance.
 - Adjustable high-temperature limit stop to control maximum water temperature.
 - Requires valve trim to complete installation (sold separately).
 - Pressure-balancing diaphragm technology maintains outlet temperature within +/-3°F during water pressure fluctuations

SN 7710-60-20005
MN K-8304-K-NA



Rite-Temp® 1/2" pressure-balancing valve with push-button diverter

- Rite-Temp® pressure-balancing diaphragm design.
- Pressure-balancing mechanism of one-piece diaphragm cartridge design for ease of maintenance.
- Mixing valve cycles from "cold" to "hot".
- Integral diverter mechanism.
- High-temperature limit setting for added safety.
- Less screwdriver stops.
- Designed for showerhead and handshower applications.

SN 7710-60-20010
MN K-11748-K-NA



MasterShower® 3/4" 2- or 3-way transfer valve

- Transfers water flow to up to three separate components/ outlets.
- Components/outlets can be operated individually or in any combination of two components at the same time.
- Supplied as a three-way transfer valve (360 degree handle rotation) but can be configured onsite for two-way operation (120 degree handle rotation).
- Single handle operation.
- Using 1 outlet: 18 gpm flow rate at 45 psi; using 2 outlets: 20.8 gpm at 45 psi.
- One 3/4" female NPT inlet connection.
- Three 1/2" female NPT outlet connections.
- Requires additional valve/s to control On/Off operation and temperature (sold separately).
- Requires transfer/diverter valve trim (sold separately).

SN 7710-60-20015
MN K-728-K



MasterShower® 1/2" volume control valve

- Provides On/Off operation with precise control of water volume and intensity.
- Single handle operation.
- 10.0 gpm flow rate at 45 psi.
- 1/2" female NPT connections.
- Ideal for use with Kohler thermostatic mixing valves.
- Quarter-turn operation with ceramic disc cartridge.
- Requires volume control valve trim (sold separately).

SN 7710-60-20020
MN K-2974-K-NA



MasterShower® 1/2" thermostatic mixing valve

- High-flow thermostatic mixing valve.
- Thermostatic technology automatically maintains outlet temperature during water pressure fluctuations and/or inlet water temperature changes.
- Single handle temperature control.
- 10.9 gpm flow rate at 45 psi.
- 1/2" (12 mm) female NPT inlet connections.
- One 1/2" female NPT outlet connection.
- Service stops with integral filters.
- Provides automatic anti-scald protection.
- Adjustable comfort setting (preset at approximately 104°F).
- Integrated adjustable high-temperature limit stop to control maximum water temperature.
- Requires volume control valve trim (sold separately).
- Requires thermostatic trim (sold separately).

SN 7710-60-20025
MN K-2972-KS-NA





Adair® Comfort Height® One-piece elongated 1.28 gpf chair-height toilet with Quiet-Close™ seat

- One-piece toilets integrate the tank and bowl into a seamless, easy-to-clean design.
- Elongated bowl offers added room and comfort.
- 1.28 gpf (4.8 lpf).
- Comfort Height® feature offers chair-height seating that makes sitting down and standing up easier for most adults.
- 2-1/8" (54 mm) fully glazed trapway.
- Left-hand Polished Chrome trip lever.
- Cachet® Quiet-Close™ closes quietly and quickly unlatches from the toilet for easy removal and convenient cleaning.
- Vitreous china.
- 11" (279 mm) x 7-3/4" (197 mm) water area.

SN 7810-66-22004
MN K-3946-0
Color/Finish:White



Reach™ Comfort Height® One-piece compact elongated 1.28 gpf chair height toilet

with Quiet-Close™ seat

- One-piece toilets integrate the tank and bowl into a seamless, easy-to-clean design.
- Elongated bowl offers added room and comfort.
- Skirted trapway simplifies cleaning.
- Comfort Height® feature offers chair-height seating that makes sitting down and standing up easier for most adults.
- 1.28 gpf (4.8 lpf).
- Left-hand Polished Chrome trip lever.
- 2-1/8" (54 mm) fully glazed trapway.
- Patented ReadyLock™ installation system, a simple solution for skirted toilets, saves time, hassle, and eliminates the need to drill into the floor for standard 12" (305 mm) rough-in.

SN 7810-66-22005
MN K-78080-0
Color/Finish:White



Highline® Comfort Height® Two-piece elongated 1.0 gpf chair height toilet

- Two-piece design.
- 1.0 gpf (3.8 lpf).
- Elongated bowl offers added room and comfort.
- Comfort Height® feature offers chair-height seating that makes sitting down and standing up easier for most adults.
- Left-hand Polished Chrome trip lever.
- Combination consists of the K-5308 tank and the K-5297 bowl.

SN 7810-66-22000
MN K-5298-0
Color/Finish:White



Corbelle® Comfort Height® Two-piece elongated 1.28 gpf chair height toilet

- Two-piece design.
- Elongated bowl offers added room and comfort.
- Skirted trapway simplifies cleaning.
- Revolution 360® flushing technology generates a forceful swirling motion to keep the bowl clean longer.
- Comfort Height® feature offers chair-height seating that makes sitting down and standing up easier for most adults.
- 1.28 gpf (4.8 lpf).
- 2-1/8" (54 mm) fully glazed trapway.
- Patented ReadyLock™ installation system, a simple solution for skirted toilets, saves time, hassle, and eliminates the need to drill into the floor for standard 12" (305 mm) rough-in.
- CleanCoat® surface treatment inhibits the growth of water scale and mineral stains for improved ease of cleaning.
- Alternative options available: Corbelle with Continuous Clean -K-5709
- 9-3/4" (248 mm) x 7-1/4" (184 mm) water area
- 29 1/2" (749 mm) x 16-1/2" (419 mm) x 31-3/8" (797 mm).

SN 7810-66-22002
MN K-3814-0
Color/Finish:White



Wellworth® Two-piece elongated 1.28 gpf toilet

- Two-piece design.
- Elongated bowl offers added room and comfort.
- 1.28 gpf (4.8 lpf).
- 2-1/8" (54 mm) fully glazed trapway.
- Left-hand Polished Chrome trip lever.
- Combination consists of the K-4467 tank and the K-4198 bowl.
- Coordinates with other products in the Wellworth collection.

SN 7810-66-22001
MN K-3998-0
Color/Finish:White





Betello® Comfort Height® Betello™ Comfort Height® two-piece elongated 1.28 gpf toilet

skirted trapway, Revolution 360® swirl flushing technology and left-hand trip lever, seat not included

- Two-piece design.
- Elongated bowl offers added room and comfort.
- Skirted trapway simplifies cleaning.
- Revolution 360® flushing technology generates a forceful swirling motion to keep the bowl clean longer.
- Comfort Height® feature offers chair-height seating that makes sitting down and standing up easier for most adults.
- 1.28 gpf (4.8 lpf).
- 2-1/8" (54 mm) fully glazed trapway.
- CleanCoat® surface treatment inhibits the growth of water scale and mineral stains for improved ease of cleaning.
- Alternative options available: Betello with ContinuousClean -K-20198.
- Combination consists of the K-20148 bowl and K-20203 tank.

SN 7810-66-22003
MN K-20197-0
Color/Finish:White



Archer® Comfort Height® Two-piece elongated 1.28 gpf chair height toilet

- Two-piece design.
- Elongated bowl offers added room and comfort.
- Comfort Height® feature offers chair-height seating that makes sitting down and standing up easier for most adults.
- 1.28 gpf (4.8 lpf).
- 2-1/8" (54 mm) fully glazed trapway.
- Left-hand Polished Chrome trip lever.
- Combination consists of the K-4356 bowl and the K-4431 tank.
- Coordinates with other products in the Archer collection.

SN 7810-99-5000
MN K-3551-0
Color/Finish:White



Veil® Comfort Height®

- Compact, streamlined one-piece intelligent toilet with integrated personal cleansing.
- Elongated bowl offers added room and comfort.
- Comfort Height® feature offers chair-height seating that makes sitting down and standing up easier for most adults.
- Tankless design with direct water supply.
- Stainless steel wand offers adjustable spray shape, position, water pressure, temperature, pulsate, and oscillate functions.
- Front and rear wash modes provide warm water for cleansing.
- Self-cleaning function uses UV light and electrolyzed water systems to sanitize the wand surfaces.
- Warm-air drying system with adjustable temperature settings.
- Automatic deodorization system.
- Heated seat with adjustable temperature settings.
- Motion-activated, hands-free opening/closing of seat and cover.
- Quiet-Close™ elongated seat closes quietly.
- LED lighting illuminates the bowl to serve as a night-light.
- English-language touchscreen LCD remote control.
- Emergency flush supports up to 100 flushes during power outage with simple touch-button activation.
- Dual flush offers a choice of 0.8 or 1.28 gpf (3.0 or 4.8 lpf).
- Included components: Complete toilet and seat, supply stop valve, braided inlet supply hose, power cord, and remote control.

SN 7810-66-22006
MN K-5401-PA-0
Color/Finish:White





Archer® Drop-in bathroom sink with 4" centerset faucet holes

- 4" (102 mm) centerset faucet holes.
- Classic rectangular basin.
- Overflow drain.
- Coordinates with other products in the Archer collection.

SN 7820-60-22550
MN K-2356-4-0
COLOR: White



Archer® Drop-in bathroom sink with 8" widespread faucet holes

- 8" (203 mm) widespread faucet holes.
- Classic rectangular basin.
- Overflow drain.
- Coordinates with other products in the Archer collection.

SN 7820-99-5000
MN K-2356-8-0
COLOR: White



Bryant® Oval Drop-in bathroom sink with 4" centerset faucet holes

- 4" (102 mm) centerset faucet holes.
- Oval basin.
- Overflow drain.

SN 7820-60-22552
MN K-2699-4-0
COLOR: White



Pennington® Drop-in bathroom sink with centerset faucet holes

- 4" (102 mm) centerset faucet holes.
- Oval basin.
- Overflow drain.

SN 7820-60-22554
MN K-2196-4-0
COLOR: White



Cimarron® Drop-in bathroom sink with 4" centerset faucet holes

- 4" (102 mm) centerset faucet holes.
- Overflow drain.
- Coordinates with other products in the Cimarron collection.

SN 7820-60-22556
MN K-2351-4-0
COLOR: White



Cimarron® Drop-in bathroom sink with 8" widespread faucet holes

- 8" (203 mm) widespread faucet holes.
- Overflow drain.
- Coordinates with other products in the Cimarron collection.

SN 7820-99-4999
MN K-2351-8-0
COLOR: White



Vox® Rectangle Vessel bathroom sink with widespread faucet holes

- 8" (203 mm) widespread faucet holes.
- Rectangular basin with a contemporary design.
- With overflow.
- 23" (584 mm) x 18-1/8" (460 mm)

SN 7820-60-22558
MN K-2660-8-0
COLOR: White



Serif® Drop-in bathroom sink with 8" widespread faucet holes

- 8" (203 mm) widespread faucet holes.
- Oval basin.
- Overflow drain.
- Coordinates with other products in the Serif collection.
- 22-1/8" x 16-1/4"

SN 7820-60-22562
MN K-2075-8-0
COLOR: White



Serif® Drop-in bathroom sink with 4" centerset faucet holes

- 4" (102 mm) centerset faucet holes.
- Oval basin.
- Overflow drain.
- Coordinates with other products in the Serif collection.
- 22-1/8" x 16-1/4"

SN 7820-60-22564
MN K-2075-4-0
COLOR: White



Serif® Drop-in bathroom sink with single faucet hole

- Single faucet hole.
- Oval basin.
- Overflow drain.
- Coordinates with other products in the Serif collection.
- 22-1/8" x 16-1/4"

SN 7820-60-22566
MN K-2075-1-0
COLOR: White





Caxton® Oval 17" x 14" Undermount bathroom sink with overflow

- Oval basin with unglazed underside.
- Overflow drain.
- Fits standard 14" x 17" (356 x 432 mm) countertop cutout.

SN 7820-99-23420
MN K-2210-0
COLOR: White



Caxton® Oval 15" x 12" Undermount bathroom sink

- Oval basin with unglazed underside.
- Overflow drain.
- No faucet holes; requires wall- or counter-mount faucet.

SN 7820-99-23422
MN K-2209-0
COLOR: White



Caxton® Oval 19" x 15" Undermount bathroom sink with overflow

- Oval basin with unglazed underside.
- Overflow drain.
- No faucet holes; requires wall- or counter-mount faucet.

SN 7820-99-23522
MN K-2211-0
COLOR: White



Caxton™ Rectangle Undermount bathroom sink

- Rectangular basin.
- Overflow drain.
- No faucet holes; requires wall- or counter-mount faucet.
- 20-1/4" x 15-11/16"

SN 7820-99-23424
MN K-20000-0
COLOR: White



Undermount bathroom sink

- Geometric square basin with vertical sides.
- Overflow drain.
- No faucet holes; requires wall- or counter-mount faucet
- 13-1/16" x 13-1/4"

SN 7820-99-23426
MN K-8188-0
COLOR: White



Verticyl® Rectangle Undermount bathroom sink

- Geometric rectangular basin with vertical sides.
- Overflow drain.
- No faucet holes; requires wall- or counter-mount faucet
- 19-13/16" x 15-5/8"

SN 7820-99-23428
MN K-2882-0
COLOR: White



Vox® Oval Vessel bathroom sink

- No faucet holes; requires wall- or counter-mount faucet.
- Overflow drain.
- 20" x 14-7/8"

SN 7820-60-22568
MN K-99183-0
COLOR: White



Vox® Round Vessel bathroom sink

- No faucet holes; requires wall- or counter-mount faucet.
- Overflow drain.
- 16-1/2" D x 5-5/16" H

SN 7820-60-22570
MN K-14800-0
COLOR: White



Iron Plains® Oval Wading Pool®

- Oval basin.
- No faucet holes; requires wall- or counter-mount faucet.
- Overflow drain.
- White painted underside.

SN 7820-60-22572
MN K-5403-W-0
COLOR: White





Cimarron® Pedestal bathroom sink with 4" centerset faucet holes

- 4" (102 mm) centerset faucet holes.
- Overflow drain.
- Combination consists of the K-2363-4 basin and the K-2364 pedestal.
- Coordinates with other products in the Cimarron collection.

SN 7820-60-22506
MN K-2362-4-0
COLOR: White



Kelston® Pedestal bathroom sink with 4" centerset faucet holes

- Rectangular basin.
- 4" (102 mm) centerset faucet holes.
- Overflow drain.
- Coordinates with other products in the Kelston collection.
- 24" x 20"

SN 7820-60-22510
MN K-24050-4-0
COLOR: White



Cimarron® Pedestal bathroom sink with 8" widespread faucet holes

- 8" (203 mm) widespread faucet holes.
- Overflow drain.
- Combination consists of the K-2363-8 basin and the K-2364 pedestal.
- Coordinates with other products in the Cimarron collection.

SN 7820-60-22508
MN K-2362-8-0
COLOR: White



Kelston® Pedestal bathroom sink with 8" widespread faucet holes

- Rectangular basin.
- 8" (203 mm) widespread faucet holes.
- Overflow drain.
- Combination consists of the K-24051-8 basin and the K-24052 pedestal.
- Coordinates with other products in the Kelston collection.
- 24" x 20"

SN 7820-60-22512
MN K-24050-8-0
COLOR: White





Verse™ 33" x 22" x 9-5/16"
top-mount single-bowl
kitchen sink with 4 faucet holes

- 36" minimum base cabinet width.
- Single bowl.
- 9" (229 mm) depth provides generous workspace.
- Includes installation hardware

SN 7850-99-26062
MN K-20060-4-NA
COLOR: STAINLESS STEEL



Verse™ 33" x 22" x 9-1/4"
Top-mount/undermount
double-bowl large/medium
kitchen sink with 4 faucet holes

- 36" minimum base cabinet width.
- Large/medium bowls.
- 9" (229 mm) depth provides generous workspace.
- Includes installation hardware.

SN 7850-99-26100
MN K-75791-4-NA
COLOR: STAINLESS STEEL



Toccata™ 15" x 15" x 7-11/16"
top-mount bar sink with
single faucet hole

- 18" (457 mm) minimum base cabinet width.
- Single bowl.
- 7" depth.
- Single faucet hole.
- Includes installation hardware

SN 7850-99-26202
MN K-3349-1-NA
COLOR: STAINLESS STEEL



Vault™ 33" x 22" x 9-5/16" Smart Divide®
top-mount/undermount
double-equal bowl kitchen sink
with 4 faucet holes

- 36" minimum base cabinet width.
- Double-equal bowls.
- 9" (229 mm) depth provides generous workspace.
- Smart Divide® feature offers a lower bowl divider that increases workspace versatility.
- Includes installation hardware and bottom sink rack.

SN 7850-99-26102
MN K-3838-4-NA
COLOR: STAINLESS STEEL



Toccata™ 15" x 15" x 7-11/16"
top-mount bar sink
with 2 faucet holes

- 18" (457 mm) minimum base cabinet width.
- Single bowl.
- 7" depth.
- Two faucet holes.
- Includes installation hardware.

SN 7850-99-26204
MN K-3349-2-NA
COLOR: STAINLESS STEEL



Vault™ 33" x 22" x 9-5/16"
Top-mount/undermount large
single-bowl kitchen sink with
4 faucet holes

- 36" minimum base cabinet width.
- Single bowl.
- 9" (229 mm) depth provides generous workspace.
- Rear drain increases workspace in the sink and storage space underneath.
- Includes installation hardware and bottom sink rack.

SN 7850-99-26064
MN K-3821-4-NA
COLOR: STAINLESS STEEL



Vault™ 12-1/4" x 9-9/16" x 9"
Top-mount/undermount bar
sink with 3 faucet holes

- 18" (457 mm) minimum base cabinet width.
- Single bowl.
- 9" (229 mm) depth provides generous workspace.
- Three faucet holes.
- Includes installation hardware and bottom sink rack.
- Three-hole faucet drilling.

SN 7850-99-26206
MN K-3840-3-NA
COLOR: STAINLESS STEEL

SN 7850-99-26100
MN K-75791-4-NA
COLOR: STAINLESS STEEL





Vault™ 35-3/4" x 24-5/16" x 9-5/16" top-mount double-equal stainless steel farmhouse kitchen sink for 36" cabinet

- 36" minimum base cabinet width.
- Double-equal bowls.
- 9" (229 mm) depth provides generous workspace.
- Self-Trimming® apron overlaps cabinet face for easy installation and beautiful results.
- Apron height allows sink to be used in most standard cabinetry or retrofitted to existing standard cabinetry.
- Three faucet holes.
- Rear drain increases workspace in the sink and storage space underneath.
- Includes installation hardware and compatibility template.

SN 7850-99-26302
MN K-3944-3-NA
COLOR: STAINLESS STEEL



Kennon™ 33" x 22" x 9-5/8" Neoroc® top-mount/undermount double-equal kitchen sink

- Double-equal bowls.
- 9" (229 mm) depth provides generous workspace.
- Includes one faucet hole and option for three additional holes for knockout with ball-peen hammer and punch.
- Includes cutout templates.
- Includes K-5662 sink rack.
- Optional K-5186 bottom basic rack(sold separately)

SN 7850-99-26108
MN K-8185-1-CM1
COLOR: Matte Black



Vault™ 29-3/4" x 24-5/16" x 9-5/16" top-mount single-bowl stainless steel farmhouse kitchen sink for 30" cabinet

- 30" (762 mm) minimum base cabinet width.
- Single bowl.
- 9" (229 mm) depth provides generous workspace.
- Self-Trimming® apron overlaps cabinet face for easy installation and beautiful results.
- Apron height allows sink to be used in most standard cabinetry or retrofitted to existing standard cabinetry.
- Three faucet holes.
- Rear drain increases workspace in the sink and storage space underneath.
- Includes installation hardware and compatibility template

SN 7850-99-26310
MN K-3935-3-NA
COLOR: STAINLESS STEEL



Cairn® 15-1/2" x 15-1/2" x 10-1/8" Neoroc® undermount bar sink

- 18" (457 mm) minimum base cabinet width.
- Single bowl.
- 9-1/2" depth provides generous workspace.
- Includes K-5658 sink rack.
- Includes cutout templates and installation clips.

SN 7850-99-26210
MN K-8223-CM7
COLOR: Matte Graphite



Kennon™ 33" x 22" x 10-1/8" Neoroc® top-mount/undermount single-bowl kitchen sink

- Single bowl.
- 9-1/2" depth provides generous workspace.
- Includes one faucet hole and option for three additional holes for knockout with ball-peen hammer and punch.
- Includes cutout templates.
- Includes K-6109 bottom sink rack.
- Optional K-5376 bottom sink rack (sold separately).

SN 7850-99-26065
MN K-8437-1-CM1
COLOR: Matte Black



Towel Bar



Purist® 24" towel bar

- Coordinates with other products in the Purist collection.

SN 7800-99-36980
MN K-14436-CP
COLOR: Polished Chrome



Purist® 24" towel bar

- Coordinates with other products in the Purist collection.

SN 7800-99-36982
MN K-14436-BN
COLOR: Vibrant Brushed Nickel



Purist® 24" towel bar

- Coordinates with other products in the Purist collection.

SN 7800-99-36984
MN K-14436-BV
COLOR: Vibrant Brushed Bronze



Purist® 24" towel bar

- Coordinates with other products in the Purist collection.

SN 7800-99-36986
MN K-14436-RGD
COLOR: Vibrant® Rose Gold



Purist® 30" towel bar

- Coordinates with other products in the Purist collection.

SN 7800-99-36988
MN K-14437-CP
COLOR: Polished Chrome



Purist® 30" towel bar

- Coordinates with other products in the Purist collection.

SN 7800-99-36990
MN K-14437-BN
COLOR: Vibrant Brushed Nickel



Purist® 30" towel bar

- Coordinates with other products in the Purist collection.

SN 7800-99-36992
MN K-14437-BV
COLOR: Vibrant Brushed Bronze



Parallel™ 24" towel bar

- 24" (610 mm) bar.
- Coordinates with other products in the Parallel collection.

SN 7800-99-37002
MN K-23525-CP
COLOR: Polished Chrome



Parallel™ 24" towel bar

- 24" (610 mm) bar.
- Coordinates with other products in the Parallel collection.

SN 7800-99-37004
MN K-23525-BN
COLOR: Vibrant Brushed Nickel



Parallel™ 24" towel bar

- 24" (610 mm) bar.
- Coordinates with other products in the Parallel collection.

SN 7800-99-37006
MN K-23525-BL
COLOR: Matte Black



Alteo® 24" towel bar

- Coordinates with Alteo faucets, accessories, and showering components to complete your bathroom.

SN 7800-99-37012
MN K-37051-CP
COLOR: Polished Chrome



Alteo® 24" towel bar

- Coordinates with Alteo faucets, accessories, and showering components to complete your bathroom.

SN 7800-99-37014
MN K-37051-BN
COLOR: Vibrant Brushed Nickel



Alteo® 24" towel bar

- Coordinates with Alteo faucets, accessories, and showering components to complete your bathroom.

SN 7800-99-37016
MN K-37051-2BZ
COLOR: Oil-Rubbed Bronze



Toilet Paper Holder



Purist® Pivoting toilet paper holder

- Pivoting holder makes changing toilet paper quick and simple.
- Coordinates with other products in the Purist collection.

SN 7800-99-1612
MN K-14377-CP
COLOR: Polished Chrome



Alteo® Pivoting toilet paper holder

- Pivoting holder makes changing toilet paper quick and simple.
- Coordinates with Alteo faucets, accessories, and showering components to complete your bathroom.

SN 7800-99-1626
MN K-37054-CP
COLOR: Polished Chrome



Purist® Pivoting toilet paper holder

- Pivoting holder makes changing toilet paper quick and simple.
- Coordinates with other products in the Purist collection.

SN 7800-99-1616
MN K-14377-BV
COLOR: Vibrant Brushed Bronze



Alteo® Pivoting toilet paper holder

- Pivoting holder makes changing toilet paper quick and simple.
- Coordinates with Alteo faucets, accessories, and showering components to complete your bathroom.

SN 7800-99-1628
MN K-37054-BN
COLOR: Vibrant Brushed Nickel



Purist® Pivoting toilet paper holder

- Pivoting holder makes changing toilet paper quick and simple.
- Coordinates with other products in the Purist collection.

SN 7800-99-1618
MN K-14377-RGD
COLOR: Vibrant® Rose Gold



Alteo® Pivoting toilet paper holder

- Pivoting holder makes changing toilet paper quick and simple.
- Coordinates with Alteo faucets, accessories, and showering components to complete your bathroom.

SN 7800-99-1630
MN K-37054-2BZ
COLOR: Oil-Rubbed Bronze



Purist® Pivoting toilet paper holder

- Pivoting holder makes changing toilet paper quick and simple.
- Coordinates with other products in the Purist collection.

SN 7800-99-1614
MN K-14377-BN
COLOR: Vibrant Brushed Nickel



Parallel™ Pivoting toilet paper holder

- Pivoting holder makes changing toilet paper quick and simple.
- Coordinates with other products in the Parallel collection.

SN 7800-99-1620
MN K-23528-CP
COLOR: Polished Chrome



Parallel™ Pivoting toilet paper holder

- Pivoting holder makes changing toilet paper quick and simple.
- Coordinates with other products in the Parallel collection.

SN 7800-99-1622
MN K-23528-BN
COLOR: Vibrant Brushed Nickel



Parallel™ Pivoting toilet paper holder

- Pivoting holder makes changing toilet paper quick and simple.
- Coordinates with other products in the Parallel collection.

SN 7800-99-1624
MN K-23528-BL
COLOR: Matte Black



Robe Hook



Purist® Robe hook

• Coordinates with other products in the Purist collection.

SN 7720-99-27102
MN K-14443-CP
COLOR: Polished Chrome



Purist® Robe hook

• Coordinates with other products in the Purist collection.

SN 7720-99-27104
MN K-14443-BN
COLOR: Vibrant Brushed Nickel



Purist® Robe hook

• Coordinates with other products in the Purist collection.

SN 7720-99-27106
MN K-14443-BV
COLOR: Vibrant Brushed Bronze



Purist® Robe hook

• Coordinates with other products in the Purist collection.

SN 7720-99-27108
MN K-14443-RGD
COLOR: Vibrant® Rose Gold



Alteo® Robe hook

• Coordinates with Alteo faucets, accessories, and showering components to complete your bathroom

SN 7720-99-27110
MN K-37055-CP
COLOR: Polished Chrome



Alteo® Robe hook

• Coordinates with Alteo faucets, accessories, and showering components to complete your bathroom

SN 7720-99-27112
MN K-37055-BN
COLOR: Vibrant Brushed Nickel



Alteo® Robe hook

• Coordinates with Alteo faucets, accessories, and showering components to complete your bathroom

SN 7720-99-27114
MN K-37055-2BZ
COLOR: Oil-Rubbed Bronze



Towel Arm**Parallel™ Towel arm**

• Coordinates with other products in the Parallel collection.

SN 7800-99-37008
MN K-23526-CP
COLOR: Polished Chrome

**Alteo® Towel ring**

• Coordinates with Alteo faucets, accessories, and showering components to complete your bathroom.

SN 7800-99-36800
MN K-37057-CP
COLOR: Polished Chrome

**Alteo® Towel ring**

• Coordinates with Alteo faucets, accessories, and showering components to complete your bathroom.

SN 7800-99-36802
MN K-37057-BN
COLOR: Vibrant Brushed Nickel

**Alteo® Towel ring**

• Coordinates with Alteo faucets, accessories, and showering components to complete your bathroom.

SN 7800-99-36804
MN K-37057-2BZ
COLOR: Oil-Rubbed Bronze



Toilet Seat



Cachet® Quiet-Close™ elongated toilet seat

- Quiet-Close™ elongated seat closes quietly.
- Grip-Tight bumpers hold seat firmly in place.
- Quick-Release™ hinges allow seat to be unlatched from toilet for easy removal and convenient cleaning; no tools required.
- Quick-Attach® hardware for fast and secure installation.
- Color-matched plastic hinges

SN 0800-60-23521
MN K-4636-0
COLOR: White



Brevia™ Quiet-Close™ Elongated toilet seat

- Quiet-Close™ elongated seat closes quietly.
- Grip-Tight bumpers hold seat firmly in place.
- Quick-Attach® hardware for fast and secure installation.
- Color-matched plastic hinges

SN 0800-60-23524
MN K-20110-0
COLOR: White



Stronghold® Elongated toilet seat with integrated handle and check hinge

- Ergonomic contour adds additional comfort.
- An integrated handle allows the user to easily raise and lower the ring.
- The check hinge will stop the seat from leaning back and applying pressure on a tank or a flushometer.

SN 0800-60-23525
MN K-4731-C-0
COLOR: White



Reveal® Quiet-Close™ elongated toilet seat

- Overhanging lid design creates a clean and sleek look.
- Quiet-Close™ elongated seat closes quietly.
- Grip-Tight bumpers hold seat firmly in place.
- Quick-Release™ hinges allow seat to be unlatched from toilet for easy removal and convenient cleaning; no tools required.
- Quick-Attach® hardware for fast and secure installation.
- Color-matched plastic hinges.
- Elongated closed-front seat.
- Contoured seat for user comfort.
- Elegant lid design for a clean and sleek aesthetic.

SN 0800-60-23522
MN K-4008-0
COLOR: White





Dexter™ siphon-jet wall-mount 0.5 or 1.0 gpf urinal with top spud

- Siphon jet.
- 3/4" (19 mm) top spud.
- 0.5 or 1.0 gpf (1.9 or 3.8 lpf) based on valve selected.
- Siphon jet.
- Includes inlet and outlet spuds and hangers.
- Includes anti-backsplash wall.
- 14-1/2" (368 mm) extended rim.
- 0.5 or 1.0 gpf (1.9 or 3.8 lpf).

SN 7740-1505
MN K-5016-ET-0
COLOR: White



Bardon™ High-Efficiency Urinal (HEU), washdown, wall-hung, 0.125 gpf to 1.0 gpf, top spud

- Washout urinal.
- 3/4" (19 mm) top spud.
- 0.125 - 1.0 gpf (0.47 - 3.8 lpf).
- 14" (356 mm) extended rim.
- Will replace K-4904-ET.

SN 7740-66-1500
MN K-4991-ET-0
COLOR: White



Bathroom sink grid drain with overflow

- With overflow.
- For use in overflow applications

SN 7740-99-2500
MN K-7129-A-CP
COLOR: Polished Chrome



Bathroom sink grid drain without overflow

- Without overflow.
- For use in nonoverflow applications

SN 7740-99-2505
MN K-7129-CP
COLOR: Polished Chrome



Sculpted Touchless faucet with Insight™ technology, DC-powered

- Above-counter battery and valve for easy installation and maintenance.
- Vandal-resistant aerator.
- 24" (610 mm) flexible supply hose for easy installation.
- 5" (127 mm) spout reach.
- Stationary spout.
- Without temperature mixer.
- Includes two AAA batteries.
- Less drain.
- 0.5 gpm (1.9 lpm) maximum flow rate at 60 psi (4.14 bar).

SN 7740-99-2900
MN K-13461-CP
COLOR: Polished Chrome



Taut™ single-hole commercial faucet

- 3-15/16" (100 mm) spout reach.
- 0.5 gpm (1.9 lpm) maximum flow rate.
- Water-saving vandal-resistant aerator.
- Single lever handle allows for simultaneous on/off activation and temperature setting.
- High-temperature limit setting for added safety.
- KOHLER ceramic disc valves exceed industry longevity standards for a lifetime of durable performance.
- Less grid drain, lift rod, lift rod hole.

SN 7740-99-2800
MN K-46028-4-CP
COLOR: Polished Chrome



Stronghold® Elongated toilet seat with integrated handle and check hinge

- Ergonomic contour adds additional comfort.
- An integrated handle allows the user to easily raise and lower the ring.
- The check hinge will stop the seat from leaning back and applying pressure on a tank or a flushometer.

SN 0800-60-23525
MN K-4731-C-0
COLOR: White





Mach™ Manual 1.28 GPF toilet flushometer

- 1.28 gpf (4.8 lpf).
- 125-micron filter protects internal components.
- High back pressure vacuum breaker.
- Locking stop cap and nonhold open design provide protection against vandalism.
- No external flush volume adjustment ensures water conservation.
- Chloramine and chlorine resistance on all rubber components exposed to waterway

SN 7740-99-2005
 MN K-80TM00N10-CP
 COLOR: Polished Chrome



Mach™ Tripoint® 1.28 GPF toilet flushometer, DC-powered

- 1.28 gpf (4.8 lpf).
- Activation distance is factory-set.
- Chloramine and chlorine resistance on all rubber components exposed to waterway.
- Engineered for optimal performance with KOHLER® commercial fixtures.
- 125-micron filter protects internal components.
- High back pressure vacuum breaker.
- Locking stop cap provides protection against vandalism.
- No external flush volume adjustment ensures water conservation.
- 24-hour automatic sentinel flush keeps trapway fresh.
- Mechanical override enables flushometer to be used manually even during a power outage.
- Powered by 1.5V AA lithium batteries.

SN 7740-99-2000
 MN K-10TD00N10-CP
 COLOR: Polished Chrome



Mach™ Manual 0.5 GPF urinal flushometer

- 0.5 gpf (1.9 lpf).
- 125-micron filter protects internal components.
- High back pressure vacuum breaker.
- Locking stop cap and nonhold open design provide protection against vandalism.
- No external flush volume adjustment ensures water conservation.
- Chloramine and chlorine resistance on all rubber components exposed to waterway.

SN 7740-99-2015
 MN K-80UM00G20-CP
 COLOR: Polished Chrome



Mach™ Tripoint® 1.28 GPF toilet flushometer, DC-powered

- 1.28 gpf (4.8 lpf).
- Activation distance is factory-set.
- Chloramine and chlorine resistance on all rubber components exposed to waterway.
- Engineered for optimal performance with KOHLER® commercial fixtures.
- 125-micron filter protects internal components.
- High back pressure vacuum breaker.
- Locking stop cap provides protection against vandalism.
- No external flush volume adjustment ensures water conservation.
- 24-hour automatic sentinel flush keeps trapway fresh.
- Mechanical override enables flushometer to be used manually even during a power outage.
- Powered by 1.5V AA lithium batteries.

SN 7740-99-2010
 MN K-10TD00N10-CP
 COLOR: Polished Chrome



Wellcomme™ UltraFloor-mounted top spud flushometer bowl

- Elongated, Standard height bowl.
- 1½" (38 mm) top spud.
- 10" x 7" (254 mm x 178 mm) water surface.
- 2-1/8" (54 mm) fully glazed trapway.
- 10" or 12" (254 or 305 mm) rough-in.
- 1.1 gpf (4.2 lpf), 1.28 (4.8 lpf) or 1.6 gpf (6.0 lpf) depending on flushometer specified.
- Also available with antimicrobial finish K-96053-SS.

SN 7742-66-1600
 MN K-96053-0
 COLOR: White



Highcliff™ UltraFloor-mounted top spud flushometer bowl

- Elongated bowl offers added room and comfort.
- 1½" (38 mm) top spud.
- 2-1/8" (54 mm) fully glazed trapway.
- 10" x 7" (254 mm x 178 mm) water surface.
- 1.1 gpf (4.2 lpf), 1.28 (4.8 lpf) or 1.6 gpf (6.0 lpf) depending on flushometer specified.
- Also available with antimicrobial finish K-96057-SS.
- 10" or 12" (254 or 305 mm) rough-in.
- Supports static load of 2,500 lbs.

SN 7742-66-1605
 MN K-96057-0
 COLOR: White

